



NOTE: TO CONFORM TO SECTION 7 OF AS1288-2006 "GLASS IN BUILDINGS - SELECTION AND INSTALLATION", STRUCTURAL BALUSTRADES PROTECTING A DIFFERENCE IN LEVEL EQUAL TO OR GREATER THAN 1000mm REQUIRE EITHER A "LOAD-SUPPORTING" HANDRAIL (MECHANICALLY FIXED TO STRUCTURE) OR AN "INTERLINKING HANDRAIL" (CONNECTS 3 OR MORE PANELS < 1000mm).

NOT TO SCALE

TITLE:	A. 50 X 10 RHS S/STEEL	EUROGLASS AUSTRALIA PTY LTD	
	B. 38/50 DIAM S/STEEL	7/1 ROEBUCK ST. HEMMANT	ABN 86 057 154 551
	C. 50 X 25 RHS S/STEEL	PHONE: 1300 654 856	FAX: (07) 3390 7688
	D. 50 X 10 RHS - HRB2 BRACKET	DATE: APR. '13	DRAWING NO: 2
	E. 38/50 DIAM W/-GLAZING POCKET		DRAWN BY: TB
	F. 21H X 25 S/STEEL		
	G. 30H X 40 S/STEEL		
	H. 30H X 54 S/STEEL		